

## Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO27134	Receipt Dates from 2/5/2015 to 2/5/2015

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID/Vendor Name		VC-MET001	Metaux Castle								
PO27134	I		M174PH- H900R0.500	f	2/11/2015	2/5/2015	120.0000	\$4.12	0.0000	0	\$494.44
CAD	No		17-4SS H900 ROUND BAR 0.500 m131473	f	120.0000	DCUSER		\$494.44	0.0000	0	
								Total Received Quantity:	120.0000		
								Total Qty to Inspect (PO U/M):	0.0000		
								Total Reject Quantity:	0.0000		
								Total Receipt Value:	\$494.45		
								Total Balance Due Quantity:	0.0000		

**Castle Metals®**

A. M. Castle &amp; Co.

**BORDEREAU DE MARCHANDISES  
CERTIFICAT DE CONFORMITE**

Page 1 of 1

No de Formulaire d'Emballage / Pack Slip No: 1986421

<b>Expédié de / Ship From:</b> A. M. Castle & Co. (Canada) Inc. Toronto 2150 Argentea Road MISSISSAUGA, ON L5N 2K7		<b>Vendu à / Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Expédié à / Ship To:</b> METCOR INC. 560 BOUL. ARTHUR-SAUVÉ SAINT-EUSTACHE, QC J7R 5A8 CA	<b>Livré à / Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date d'expédition / Date Shipped</b>	<b>F.O.B.</b>	<b>Modalités de transport / Freight Terms</b>	<b>Transporteur / Carrier</b>	<b>No du Bon de connaissance / BOL No</b>	<b>N° de livraison / Delivery No</b>
26-JAN-2015	ORIGIN	Prepaid	CASTLE_NETWORK	1995573	119929507

Détails d'expédition / Shipment Details					
N° de commande / Order No	N° de ligne Line No	N° d'article / Item No	Description	Qté commandée / Ordered Qty	Qté facturée / Invoice Qty
3702771	1	14961.MO	0.5000.RD.17CR-4NI STAINLESS.CF.SOL TR.COND A.144.0000 CUT TO 145.875 IN ( ) - CUT IN 4TH'S SPECIFICATIONS: AMS 5643		
N° de bon de commande / Purchase Order No		N° de pièces / Part Number			
(27134)					
Détails / Details				10.00 PGS	121.5625 FT
Usine / Mill	No de coulee / Heat Number	Code mec / Mech Id	Qté or PCS	Largeur / Width (IN)	Longueur / Length (IN)
VALBRUNA CORPORATION	261341		10		
				Qté expédiée / Shipped Qty (LBS)	81.2038

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.  
We hereby certify the material covered by this certification conforms to the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.  
Ce matériel a été reçu et inspecté par  
Reviewed by Authorized Castle Metals Representative:

Date: \_\_\_\_\_ Name: \_\_\_\_\_

891502-5



# Acciaierie Valbruna S.p.A.



**CERTIFICATO DI COLLAUDO**  
**ABNAHMEPRUEFZEUGNIS**  
**INSPECTION CERTIFICATE**  
**CERTIFICAT DE RECEPTION**  
**EN 10204 (2004) , 3.1**

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bestell-/Purchaser/Cliet  
VALBRUNA CANADA LTD  
8724 HOLGATE CRESCENT  
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**  
Hersteller/Usine productrice

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI13037321  
Lieferungsge/Packing list/L

Certificato nr: MEST444351/2013/ 1  
Prüfung/Test/Essai

Conferma ordine nr: EI13009446  
Werkz/Our Order/Ref: n.

Marchio di Fabbrica:  
Zeichen des Werksachverständigen  
Trade mark  
Sigle de l'usine productrice



Stato di fornitura: Hot rolled - COND. A Centerless Ground  
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD  
Erneuerungsart/Working process/Mode d'elaboration

Punzone del Collaudatore:  
Stempel des Werksachverständigen  
Inspector's stamp/Plaque du Tauxeur



Specifiche:  
Anforderungen / Requirements / Exigences

3174-01 35 630 A  
ASME SA564 2013 S17400 A (0)

AMS 2303 F.  
ASTM A564 2010 S17400 A

AMS 5643 S S17400 A

(0) SECTION II PT.A 2013 EDITION

Qualità: 630  
Werkstoff/Grade/Qualité

Marca: V174  
Markenbezeichnung  
Marque/Qualité

Tolleranza: ASTM A484-11 TABLE 7  
Toleranz / Allowance / Tolérance

Punzonatura: 630  
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Object/and Product description Descript. du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Lot nr. Lot nr.
0040	Round	0,5000	144 / 148	261341		1.559	312807210

## TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbarem produkt test à l'état de livraison Prueba sobre el material así como entregado

TEST	Provetta/Probestab Specimen/Éprouvette Long diam. Spec. Stem Diam. Duche Width Duche Thickness Long diam. Spec. mm	°F	Posit Saggio Position Lage Position	Snervamento Bruchgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Bruchgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Erweichung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max				175				363
A	12.7	68	L	133		159	8	48		344

TEST		min	max
B	Delta Ferrite		5,0
B	RATINGS FREQUENCY		1,10
B	RATINGS SEVERITY		1,05

## Sample cond. H900

Tipo Trattamento Wärmebehandlung Heat Treatment Traitement Thermique	Temperatura Temperature Temperatur	Raffreddamento Abkühlung Cooler Refroidissement	Permanenza Haltezeit Retention Mantien	Tipo Trattamento Wärmebehandlung Heat Treatment Traitement Thermique	Temperatura Temperature Temperatur	Raffreddamento Abkühlung Cooler Refroidissement	Permanenza Haltezeit Retention Mantien	Tipo Trattamento Wärmebehandlung Heat Treatment Traitement Thermique	Temperatura Temperature Temperatur	Raffreddamento Abkühlung Cooler Refroidissement	Permanenza Haltezeit Retention Mantien
Aging	900 °F	AIR	60 "								
TEST	Provetta/Probestab Specimen/Éprouvette Long diam. Spec. Stem Diam. Duche Width Duche Thickness Long diam. Spec. mm	°F	Posit. Saggio Position Lage Position	Snervamento Bruchgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Bruchgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Erweichung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB	
	Valori richiesti 1 Anforderungen/Required values Valeurs demandées	min max		170	-	190	-	10	-	40	388 444
	B	12,5	68	L	190		205	18	60		430

1) L=longitudinale/länge, T=transversale/quer, Q=Tangenziale/tangentiel

Mechanical properties according to ASTM A370.

Delta Ferrite according to AMS 2315.

1502/06  
DAS  
14  
989

Vicenza, 24/02/14 VCO008 (Mod. MCE2)	Il collaudatore di stabilimento / der Werkssachverständiger / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
--	--	-----------------

# Acciaierie Valbruna S.p.A.



**CERTIFICATO DI COLLAUDO**  
**ABNAHMEPRUEFZEUGNIS**  
**INSPECTION CERTIFICATE**  
**CERTIFICAT DE RECEPTION**  
**EN 10204 (2004) , 3.1**

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.  
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Cliant  
**VALBRUNA CANADA LTD**  
8724 HOLTGATE CRESCENT  
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**  
Hersteller/Hersteller/Usine producer

Stato di fornitura: Hot rolled - COND. A Centerless Ground  
Lieferzustand/Delivery state/Etat de livraison

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI13037321  
Lieferanweisung/Packing list/B.L.

Ordine nr: 311004478 Stock - Canada  
Bestell-/Your order/Commande

Tipo di Elaborazione: E+AOD  
Erschmelzungs-/Melting process/Mode d'elaboration

Certificato nr: MEST444351/2013/ 1  
Prüfung/Test/Essai

Conferma ordine nr: E113009446  
Werk-/Our Order/Fiel nr

Marchio di Fabbrica:  
Zeichen des Lieferanten  
Trade mark  
Eigle de l'usine productrice



Punzone del Collaudatore:  
Stempel des Werkssachverständigen  
Inspector's stamp/Poinçon de l'essayeur



## Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata / Heat Schmelze/Coulée	min - max 0,070	1,00	1,00	15,00 17,50	0,50	3,00 5,00	3,00 5,00	0,040	0,030	-	-	-	-	-	-
C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	Ta %	-	-	-	-	-	-
261341	0,044	0,43	0,47	15,12	0,15	3,23	4,58	0,025	0,001	0,0001	-	-	-	-	-
Colata / Heat Schmelze/Coulée	min 5°C max 0,450	0,150 0,450	-	-	-	-	-	-	-	-	-	-	-	-	-
Cb(Nb)%	Nb%+Ta%	-	-	-	-	-	-	-	-	-	-	-	-	-	-
261341	0,274	0,274	-	-	-	-	-	-	-	-	-	-	-	-	-

Reduction ratio > 3 : 1

Annealing temperature 1904 deg. F for 1 h , air  
cool to below 90F.

Macroetch test per ASTM E340: acceptable.

Material annealed 1070C for 0,5h min/air cooled.

Furnace calibrated according to AMS-H-6875,A,APRIL 2006

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste  
Die gestellten Anforderungen sind lt. Anlage erfüllt  
The material has been furnished in accordance with the requirements  
Le matériel a été fourni conforme aux exigences

Controllo antimescolanza: OK  
Verwechslungsprüfung, spezialanalytisch durchgeführt  
Anmischung testing performed: OK  
Contrôle antimeslange test: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze  
Beisichtigung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional checks satisfactory  
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1, s., 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

*Handwritten signature and stamp:*  
DAS 14 9-89  
15/02/06

Vicenza, 24/02/14

VCC0003  
(Mod MCE2)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO27134

Purchase Order Date 1/20/2015

PO Print Date 1/20/2015

Page Number 1 of 3

Order From : VC-MET001  
METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

131473

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	514 694 9575	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 10
Ship To Phone		Currency	CAD
Ship Via:	VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:			

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M174PH-H900R0.500	17-4SS H900 ROUND BAR 0.500	1/27/2015 Yes 1/27/2015		120.00 f	\$4.78	\$573.60

SP-15-02-5  
SP-15-02-3

MATERIAL: 17-4 PH COND. H900  
AS PER AMS 5643

NOTE:  
PLEASE SHIP ALL MATERIAL TO METCOR INC.  
560 BOULV. ARTHUR SAUVE  
SAINT-EUSTACHE, QC  
J7R-5A8  
450-473-1884

Line Total: \$573.60

Note:

1/20/2015



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO27134**

Purchase Order Date 1/20/2015

PO Print Date 1/20/2015

Page Number 2 of 3

Order From : VC-MET001  
METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone 514 694 9575  
  
Ship To Contact  
Ship To Phone  
Ship Via: VENDOR'S TRUCK  
Ship Acct:

Buyer  
Customer POID  
Customer Tax # 10127-2607  
Terms Net 10  
Currency CAD  
FOB FCA - (Free Carrier)

2	M174B1.250X02.000	17-4 SS Bar 1.250 x 2.00	2/6/2015 Yes 2/6/2015	12.00 f	✓	\$62.72	\$752.64
---	-------------------	--------------------------	-----------------------------	------------	---	---------	----------

MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/5643  
GRAIN MUST BE ALONG LENGTH OF BAR  
MINIMUM YIELD TENSILE STRENGTH = 100KSI  
MINIMUM ULTIMATE TENSILE STRENGTH = 150KSI

815-02-3

Line Total: \$752.64

3	M303B1.000X1.000	303 BAR 1" X 1"	2/27/2015 Yes 2/27/2015	12.00 f		\$19.08	\$228.96
---	------------------	-----------------	-------------------------------	------------	--	---------	----------

MATERIAL: AISI 303 SS BAR AS PER ASTM A582  
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$228.96

Note:

1/20/2015



## Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO27135 Receipt Dates from 2/5/2015 to 2/5/2015

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name		VC-MET004	Meteor Inc.								
P027135	1		71425-30	Each	2/6/2015	2/5/2015	1.0000	\$0.00	0.0000	0	\$0.00
CAD	No		HEAT TREAT MATERIAL TO H900		1.0000	DCUSER		\$0.00	0.0000	0	
			m131472								
	2		71401-45		2/6/2015	2/5/2015	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	DCUSER		\$0.00	0.0000	0	
			m131472								
								Total Received Quantity:			
								Total Qty to Inspect (PO U/M):			
								Total Reject Quantity:			
								Total Receipt Value:			
								Total Balance Due Quantity:			
								2.0000			
								0.0000			
								0.0000			
								\$0.00			
								0.0000			



# METCOR INC.

560 BOUL. ARTHUR-SAUVÉ  
ST-EUSTACHE, QC J7R 5A8  
Tel: 450-473-1884 / Fax: 450-491-5498

## Reçu de livraison

Delivery Receipt

BON DE TRAVAIL Order	EXPÉDITEUR Shipper ID	BON D'EXPÉDITION Shipper
202223	1	88026

EXPÉDITION COMPLÈTE / Shipped Complete

CLIENT /Customer 215

### DART AEROSPACE

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
Ph: 613-632-5200  
Fax: 613-632-1053



LIVRÉ À /Shipped To

### DART AEROSPACE

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
Ph: 613-632-5200  
Fax: 613-632-1053

COMMANDE DU CLIENT Customer PO	BON DE LIVRAISON DU CLIENT Customer Shipper No.	TYPE DE MATÉRIEL Material Type	DATE DE LA COMMANDE Order Date	TRANSPORTEUR Carrier
27135		17-4PH	2015/1/26	client
QUANTITÉ Quantity	No. PIÈCE Part No.	NOM DE LA PIÈCE Part Name	DESCRIPTION DE LA PIÈCE Part Description	POIDS Weight

40 71425-30  
(40) 71425-30

85,

1 PALETTE

SP 15-02-5.

TYPE DE CONTENEUR Container Type	# DE CONTENEURS # Of Containers	COMMENTAIRES CONTENEUR Container Comments
PALETTE	1	

### CERTIFICAT

EMPAQUETAGE Packing	
------------------------	--

QUANTITÉ EXPÉDIÉE / Quantity Shipped : 40

POIDS EXPÉDIÉ / Weight Shipped : 85,00

QUANTITÉ RESTANTE / Quantity Remaining : 0

POIDS RESTANT / Weight Remaining : 0,00

### CERTIFICAT

QUANTITÉ EXPÉDIÉE /Quantity Shipped: 40

POIDS EXPÉDIÉ / Weight Shipped : 85,00

Signature:

Date:

EXPÉDIÉ LE / Shipped On : 2015/01/28



**METCOR INC.**

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

**Rapport d'Inspection****Inspection Report**

BON DE TRAVAIL order	CHARGEMENT load
202223	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K8A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K8A 1K7

1

COMMANDE DU CLIENT customer po	BON DE LIVRAISON DU CLIENT customer shipper no.	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
27135		17-4PH		
<b>SPÉCIFICATIONS DU PROCÉDÉ</b> processing specifications AGE HARDEN CONDITION H 900 SAE AMS 2759/3 REV.E SP 15-025				
EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results	
HARDNESS	40 - 47 HRC	40	44 - 46 HRC DAS 15-02-10 9-89	
QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description		
40	85	71425-30 (40) 71425-30  1 PALETTE 6 FR		

**COMMENTAIRES / comments**

APPROUVÉ par / Approved by:

DATE: 2015-01-28



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M1744900 R.506  
 RECEIVED BY: Sonia P  
 DATE: 15/02/05  
 P/O# 27134 MATERIAL CERT RECEIVED yes  
 QUANTITY ORDERED: 120 QUANTITY RECEIVED: 120  
 THICKNESS ORDERED: .500 THICKNESS RECEIVED: .500  
 SHEET SIZE: \_\_\_\_\_ SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/>	
INCORRECT FINISH	Y	<input checked="" type="checkbox"/>	
CORROSION	Y	<input checked="" type="checkbox"/>	
INCORRECT GRAIN DIRECTION	Y	<input checked="" type="checkbox"/>	
INCORRECT MATERIAL	Y	<input checked="" type="checkbox"/>	
INCORRECT THICKNESS	Y	<input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AS</u>	BY: _____
DATE: <u>15/02/06</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO27135**

Purchase Order Date 1/20/2015

PO Print Date 1/20/2015

Page Number 1 of 2

**Order From :**

METCOR INC.  
560 BOUL. ARTHUR SAUVE  
SAINT-EUSTACHE, QC J7R 5A8  
CA

VC-MET004

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**

**Contact Name**

**Vendor Phone** 450 473 1884

**Ship To Contact**

**Ship To Phone**

**Ship Via:** TST Overland

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	71425-30	HEAT TREAT MATERIAL TO H900	2/6/2015 Yes 2/6/2015		1.00 Each	\$0.00	\$0.00
	17-4 PH ROUND BAR .500" SENT FROM METAUX CASTLE P/O:27134 FINISH: HEAT TREAT TO COND H900 FTY IN EXCESS OF 170KSI FTU IN EXCESS OF 190KSI PER AMS2759/3 DETAIL C OF C REQUIRED PLEASE ADVISE PRICE \$\$\$\$\$\$ FOR LOT						

**Line Total:** \$0.00

**Note:**

1/20/2015